

Drṣṭi AI दृष्टि

Vastu-vision for your home — read by an AI, informed by the Manasara -

Your home, *in drṣṭi.*

A room-by-room Vastu reading of a sample residence, computed by AI vision and the classical corpus.

FOR

Builder Portal

PLOT

380 sq yd • Facing N

FLOORS

1

VASTU SCORE

Strong.

81_{/100}

5

IDEAL

14

ACCEPTABLE

2

REFINE

2

REMEDIES



- IDEAL
- ACCEPTABLE
- REFINE

AT A GLANCE

We read your uploaded floor plan, saw the home faces N, and mapped all 21 spaces onto the nine Vastu directions — checking each against the placement its direction ideally supports. Your home scored

plan.


PUBLIC SAMPLE

Uploaded Floor Plan Removed

The customer drawing and its embedded names, firm details,
and project identifiers are omitted from this public copy.


Your placement, *zone by zone*.

Each room mapped onto a 9-zone Vastu directional grid — eight compass octants plus the Brahma-centre — by the compass octant of its room centre. Green = ideal, amber = acceptable, rust = refine.



Ideal *Vastu zoning* reference.

A reference map for ideal room zones: master in SW, pooja in NE, kitchen in SE, toilet in NW, stairs in W, secondary bedrooms in S / NW. This is guidance for discussion, not an automatically redesigned construction plan.



Use this as a zoning reference with your architect or consultant. The next page breaks the same picture down direction-by-direction so you can see exactly where there's room to refine.

Direction-by-*direction summary.*

Your plot's nine Vastu zones at a glance — what sits in each compass direction now, the placement that direction ideally supports, and where there's room to refine. Green = ideal, amber = acceptable, rust = refine, grey = open.

9 ZONES • 0 IDEAL • 7 ACCEPTABLE • 1 REFINE

ZONE (DEITY)	ELEMENT	WHAT'S HERE NOW	VASTU-IDEAL	STATUS
NE • <i>Ishana</i> ईशान	Water	Bedroom-1	Pooja / open / water	ACCEPTABLE
E • <i>Indra</i> इन्द्र	Air	Living Cum Dining, Toilet	Entrance / living	ACCEPTABLE
SE • <i>Agni</i> अग्नि	Fire	Dining, Wet Area +1 more	Kitchen	ACCEPTABLE
S • <i>Yama</i> यम	Fire	Toilet Bottom, Balcony Bottom Left +1 more	Bedroom / heavy use	ACCEPTABLE
SW • <i>Nairritya</i> नैऋत्य	Earth	Staircase Detail, Master Bedroom	Master bedroom	ACCEPTABLE
W • <i>Varuna</i> वरुण	Water	Lift Left, Lift Right +1 more	Dining / children	ACCEPTABLE
NW • <i>Vayu</i> वायु	Air	Guest Bedroom, Toilet +1 more	Guest / store / toilet	ACCEPTABLE
N • <i>Kubera</i> कुबेर	Water	Balcony, Toilet +2 more	Open / treasury	REFINE
C • <i>Brahma</i> ब्रह्म	Space	—	Kept open & clean	OPEN

The "Vastu-ideal" column shows the placement each direction naturally supports — master in SW, pooja in NE, kitchen in SE. Use it as a zoning reference with your architect; it is guidance for discussion, not a redesigned construction plan.

Room-by-room *verdict.*

21 spaces scored · 5 ideal · 14 acceptable · 2 conflicts flagged.

AREAS TO REFINE — TOP 2 ROOMS

Toilet		65%
Bathing Area		65%

ROOM	DIRECTION	DEITY	VERDICT	REASON
Toilet	N · N4	Kubera	REFINE	North is Kubera's seat — waste water there drains the wealth direction. Judged at the WC p... BRHAT SAMHITĀ CH.53 · MANASARA — TO-VERIFY
Bathing Area	N · N5	Kubera	REFINE	North is Kubera's seat — waste water there drains the wealth direction. BRHAT SAMHITĀ CH.53 · MANASARA — TO-VERIFY
Guest Bedroom	NNW · N2	Vayu	ACCEPTABLE	Prithvi room in a NW/Vāyu zone (element score 0.65). PANCHA-BHŪTA ELEMENT CALC
Balcony	NNW · N3	Kubera	ACCEPTABLE	Vayu room in a N/Jala zone (element score 0.91). PANCHA-BHŪTA ELEMENT CALC
Bedroom-1	NE · N8	Ishana	ACCEPTABLE	Prithvi room in a NE/Jala zone (element score 1.00). PANCHA-BHŪTA ELEMENT CALC
Staircase	WNW · W7	Vayu	ACCEPTABLE	Prithvi room in a NW/Vāyu zone (element score -0.12). PANCHA-BHŪTA ELEMENT CALC
Lift Left	W · W4	Varuna	ACCEPTABLE	Prithvi room in a W/Jala zone (element score 1.01). PANCHA-BHŪTA ELEMENT CALC
Lift Right	W · W4	Varuna	ACCEPTABLE	Prithvi room in a W/Jala zone (element score 1.02). PANCHA-BHŪTA ELEMENT CALC

Room verdicts, *continued*.


ROOM	DIRECTION	DEITY	VERDICT	REASON
Dining	SSE • S2	<i>Agni</i>	ACCEPTABLE	Vayu room in a SE/Agni zone (element score 1.00). PANCHA-BHŪTA ELEMENT CALC
Toilet	ESE • E6	<i>Indra</i>	ACCEPTABLE	ESE — the tolerable toilet band between the Sūrya and Agni seats; acceptable, never ideal.... BRĤAT SAMHITĀ • MANASARA — TO-VERIFY
Wet Area	SE • E8	<i>Agni</i>	ACCEPTABLE	SE storage workable away from the cooking flame. MAYAMATAM CH.25
Toilet Bottom	S • S4	<i>Yama</i>	ACCEPTABLE	Vayu room in a S/Agni zone (element score 1.00). Judged at the WC pan position (as drawn),... PANCHA-BHŪTA ELEMENT CALC
Master Bedroom	SSW • S7	<i>Nairritya</i>	ACCEPTABLE	Prithvi room in a SW/Pṛthvī zone (element score 0.83). PANCHA-BHŪTA ELEMENT CALC
Balcony Bottom Left	SSW • S6	<i>Yama</i>	ACCEPTABLE	Vayu room in a S/Agni zone (element score 0.08). PANCHA-BHŪTA ELEMENT CALC
Balcony Bottom Right	SSE • S3	<i>Yama</i>	ACCEPTABLE	Vayu room in a S/Agni zone (element score 1.00). PANCHA-BHŪTA ELEMENT CALC
Drawing Area	NNE • N6	<i>Kubera</i>	IDEAL	Jala room in a N/Jala zone (element score 2.00). PANCHA-BHŪTA ELEMENT CALC
Toilet	NW • N1	<i>Vayu</i>	IDEAL	Vayu room in a NW/Vāyu zone (element score 1.88). Judged at the WC pan position (as drawn)... PANCHA-BHŪTA ELEMENT CALC
Passage	WSW • W3	<i>Varuna</i>	IDEAL	Jala room in a W/Jala zone (element score 1.55). PANCHA-BHŪTA ELEMENT CALC
Staircase Detail	WSW • W2	<i>Nairritya</i>	IDEAL	Prithvi room in a SW/Pṛthvī zone

Room verdicts, *continued.*

ROOM	DIRECTION	DEITY	VERDICT	REASON
Kitchen	SE · S1	Agni	IDEAL	Agni room in a SE/Agni zone (element score 2.00). PANCHA-BHŪTA ELEMENT CALC

Priority fixes, *ranked*.

Concept-stage guidance: highest-impact actions first. P0 = critical structural; P1 = important placement; P2-P3 = cosmetic refinement.



Toilet door always kept closed

P2

Install spring-close hinge; keep door shut when not in use

MATERIAL • spring-hinge

Salt bowl in toilet to absorb negativity

P2

Bowl of rock salt in the toilet, replaced weekly

MATERIAL • rock salt + ceramic bowl

How to read *this report*.

IDEAL

Ideal placement. The room aligns with its deity's natural quadrant. No action needed.

ACCEPTABLE

Acceptable. Secondary placement — works without remedy, but minor refinement (window, furniture) lifts the room to ideal.

REFINE

Refine. The room's direction sits against its deity — worth refining with the remedies on page 09.

CONVENTIONS

Direction: Compass octant of the room centre after rotating the plan so N points up.

Deity: Vastu Purusha guardian of that octant — drives the room-type rule.

Citation: Source chapter from Manasara, Mayamatam, or Brihat Samhita. These are indicative of the traditional corpus, not verbatim verse citations.

THE CLASSICAL SOURCES

Manasara: A foundational Sanskrit treatise (c. 5th–7th century) on Vastu Shastra and architecture — among the most complete canonical manuals on building layout, proportion, and placement.

Mayamatam: A classical South-Indian Vastu text attributed to the sage Maya, covering site selection, orientation, room positioning, and measurement.

Brihat Samhita: Varāhamihira's 6th-century encyclopedia, whose architecture (Vāstu) chapters codify the directional and zoning principles applied in this report.

SCORE CALCULATION

Each room contributes: **100 pts** if ideal · **70 pts** if acceptable · **(1 – severity) × 100** if it needs refining. Final score = average across all detected rooms, including service and utility spaces.

SCORE BAND

90+ Exceptional · 80–89 Strong · 70–79 Good · 60–69 Workable · 50–59 Room to improve · <50 Significant room to improve.

Vastu is the *design layer*. Engineering is the *structural layer*.

This report is concept-stage guidance and advisory in nature. Before acting on any structural remedy (relocating a kitchen, removing a wall, repositioning a staircase), engage your construction professionals.

P2 and P3 cosmetic remedies listed in this report are safe to apply on your own — see the remedies page for the specific materials and actions recommended for your floor plan. Structural remedies (P0 and P1) require a **licensed Structural Engineer** for load checks and a **licensed Architect** for layout compliance with local bye-laws, fire safety, and RERA standards.

Two-tier action plan:

This week: Apply the P2 + P3 cosmetic remedies listed in this report. They are inexpensive, reversible, and immediately meaningful.

Good news: This report has no structural (P0 / P1) remedies for this floor plan — only cosmetic refinements are needed.

Colour *prescription* — by deity, by room.


Each room inherits its deity from the compass octant it sits in. Wall palette is derived from the Vastu element-direction tradition (Manasara Ch.18 · Brihat Samhita Ch.54). Use these as dominant wall tones; treat the AVOID list as firm boundaries. Fabric guidance is shown only for habitable rooms.

Toilet

Kubera कुबेर N · WATER



Jade Mint
#A8D5BA · Asian Paints Royale (greens)



Sky Wash
#DDE7EF · Berger Silk Glamor (pale blues)

+1 more tones


AVOID Bright red — Disturbs Kubera's wealth-flow

Bathing Area

Kubera कुबेर N · WATER



Jade Mint
#A8D5BA · Asian Paints Royale (greens)




Sky Wash
#DDE7EF · Berger Silk Glamor (pale blues)

+1 more tones

AVOID Bright red — Disturbs Kubera's wealth-flow

Toilet

Vayu वायु NW · AIR



Pearl Grey
#E8E8E8 · Asian Paints Royale (greys)



Vanilla Cream
#F5F5F0 · Berger Silk Glamor (light creams)

+1 more tones

AVOID Deep red — Fire weighs down Vayu's transient air quality

Toilet

Indra इन्द्र E · AIR



Pale Saffron
#FBE7B6 · Asian Paints Royale (warm yellows)



Peach Wash
#FCD0C1 · Berger Silk Glamor (peach pastels)


+1 more tones

AVOID Dark navy — Heavy navy stifles Indra's morning air movement


Colour prescription, *continued.*

Guest Bedroom

Vayu वायु NW · AIR



Pearl Grey
#E8E8E8 · Asian Paints Royale (greys)



Vanilla Cream
#F5F5F0 · Berger Silk Glamor (light creams)

+1 more tones

FABRIC Light grey wool · Cream linen · Pale silver

ACCENT Silver · Polished chrome


AVOID **Deep red** — Fire weighs down Vayu's transient air quality

Balcony

Kubera कुबेर N · WATER



Jade Mint
#A8D5BA · Asian Paints Royale (greens)



Sky Wash
#DDE7EF · Berger Silk Glamor (pale blues)

+1 more tones


FABRIC Jade silk · Pale-blue cotton · Soft cream

ACCENT Antique gold · Bronze

AVOID **Bright red** — Disturbs Kubera's wealth-flow

Bedroom-1

Ishana ईशान NE · WATER



Pure Ivory
#F3EDE0 · Asian Paints Royale Aspira (off-whites)



Sky Wash
#DDE7EF · Berger Silk Glamor (pale blues)

+1 more tones


FABRIC Cream linen · Pale-blue silk · Light pearl

ACCENT Silver hardware · Brass / copper for pooja


AVOID **Black** — Suppresses Ishana's water-light element

Staircase

Vayu वायु NW · AIR



Pearl Grey
#E8E8E8 · Asian Paints Royale (greys)



Vanilla Cream
#F5F5F0 · Berger Silk Glamor (light creams)

+1 more tones

AVOID **Deep red** — Fire weighs down Vayu's transient air quality

+ 13 more rooms — each room's palette derives from its octant deity. See the verdict table for the full room-to-deity mapping.

What each remedy *unlocks*.

Every Vastu correction reverberates across one or more life domains. Below — five canonical Sanskrit categories — show which of your specific remedies address which areas of life.

आरोग्य Aarogya

HEALTH & VITALITY

1. Toilet door always kept closed

For: Toilet, Bathing Area

P2

2. Salt bowl in toilet to absorb negativity

For: Toilet, Bathing Area

P2

व्यवसाय Vyavasaya

WEALTH & CAREER

Nothing to refine in this domain — your home already supports wealth & career.

गृहस्थ Grihastha

DOMESTIC HARMONY

1. Salt bowl in toilet to absorb negativity

For: Toilet, Bathing Area

P2

विद्या Vidya

KNOWLEDGE & STUDY

Nothing to refine in this domain — your home already supports knowledge & study.

भक्ति Bhakti

DEVOTION & PRACTICE

Nothing to refine in this domain — your home already supports devotion & practice.

These five domains (आरोग्य, व्यवसाय, गृहस्थ, विद्या, भक्ति) are a practical Vastu-engineering map of residential well-being. They are complementary to — but distinct from — the classical four Purusharthas (dharma, artha, kāma, moksha). Source: Brihat Samhita Ch.53 · Mayamatam Ch.18.

Grehyug is a *software tool*. Not a service provider.

Read this page in full. By signing the next sheet, you each individually acknowledge having read, understood, and irrevocably accepted clauses 01–10 below.

01 – SOFTWARE TOOL, NOT SERVICE PROVIDER

Grehyug / Dr̥ṣṭi AI is an AI-assisted software platform. Not an architect, engineer, contractor, valuer, surveyor, or licensed professional. No professional, fiduciary, agency, advisory, or consultancy relationship is created.

02 – USER INPUTS DETERMINE THE OUTPUT

Every verdict, score, and remedy in this report is a mechanical computation from the floor plan and inputs the Owner supplied to Grehyug. The output reflects the Owner's input quality. Grehyug does not verify or warrant input accuracy.

03 – NO WARRANTIES – “AS IS”

Provided **AS IS** and **AS AVAILABLE**. All warranties — express, implied, statutory — are disclaimed: merchantability, fitness for purpose, accuracy, completeness, structural soundness, regulatory compliance.

04 – NOT A STATUTORY DOCUMENT

Not a certified Vastu opinion. Not a sanction, municipal approval, RERA filing, structural certificate, or insurance instrument. Reliance for any such purpose is at the Owner's own risk.

05 – OWNER BEARS EXECUTION RESPONSIBILITY

Site execution, regulatory compliance, structural review, vendor selection, contractor management, and remedy application are entirely the Owner's responsibility.

06 – TOTAL EXCLUSION OF LIABILITY

To the fullest extent permitted by law, Grehyug, its officers, directors, employees, contractors, and affiliates shall **not be liable** for **any** direct, indirect, incidental, special, consequential, punitive, or exemplary damages — including cost overruns, structural defects, regulatory penalties, third-party claims — **even if advised** of possibility, regardless of legal theory.

07 – AGGREGATE LIABILITY CAP

Maximum aggregate liability shall **not exceed the fee paid by the Owner to Grehyug for this report (₹999)**. Cap applies even if any limited remedy fails of essential purpose.

08 – INDEMNIFICATION

The Owner shall **defend, indemnify, and hold harmless** Grehyug from all claims, demands, suits, losses, damages, costs, fines, and expenses (including legal fees) arising from acting on this report or third-party claims relating to it.

09 – INDEPENDENT PROFESSIONAL REVIEW REQUIRED

The Owner **must** obtain independent review by a licensed Structural Engineer, MEP Consultant, and qualified legal counsel **before** any structural work. Failure waives any claim against Grehyug.

10 – GOVERNING LAW • ARBITRATION • SEVERABILITY

Governed by laws of India. Disputes referred first to negotiation; failing 30-day resolution, to **binding arbitration** under Arbitration and Conciliation Act 1996, seat New Delhi, one arbitrator, English. If any clause is unenforceable, remainder stands.

By signing the next page, the Owner irrevocably acknowledges: reading, understanding, and accepting clauses 01–10 above; having had reasonable opportunity to seek independent legal and engineering advice; that this acceptance is a material term of using Dr̥ṣṭi AI.

Accept & *begin.*

By signing below, the Owner confirms that this Dr̥ṣṭi AI report — its verdicts, remedies, score, and the Legal Disclaimer on the previous page — has been read and understood, and that Grehyug bears no liability for any action taken on the basis of this advisory document.

Sample Acceptance Page

Owner, location, signature, date, and report reference removed.